

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Leop v Buch Phys trade sche Deschwill In Camousel Fasel. Bell: 1825 p. 45 - itt list of plats is mentioned f 164 et for & Atemsic agentes prist be C. Episonehum by webbild

0	2	3	4	5	6	7	8	9	10	MISSOURI
cm				,	C	opyr	ight r	ved	BOTANICAL GARDEN	

MISSOURI BOTANICAL GARDEN MISSOURI BOTANICAL

GEORGE ENGELMANN PAPERS




flor. Dans til 2224 C. lapulifornis Krocker ft. Siles I.p. 261 In substitute as when Landson Molle a good figure of the wind 8 000 only it is not plain, whether filants are interes or only a sets this kears. — Moan Jan. I. the 128. fig 4. Curred - latining some arborry vel ramper se extendes.

a putty good figure, oitils or p 201. nottry else ren be gleans from the text. MISSOURI

BOTANICAL copyright reserved cm GARDEN Missouri Botanical Garden

George Engelmann Papers



L'us graf Afflanza in sim fflight of the ? maffij flom danska! Den Lis min holiz-?

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN


MISSOURI
BOTANICAL
GARDEN

Brissier dingn. I/9. p. 86 Palles nord. Beite et Ledebour G. Hann Sieben Smal delivice Fing p. 8% Amuls des Aime Mel 88. 1846. Jacq. Am. 30 d. pirt. H. H. pay 14 Mig. Surina 28. Ench Klotymen. O Reich M. gen 5.131 8. mandet ace & Kenter of the Committee of the Commit Beth Solph. 23.24. Fig A. P. neifen: & Histiana for Janier 13. 2224 Clempaliformi Central () epiline. Autill. 1150. Com. MISSOURI BOTANICAL GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL

copyright reserved cm GARDEN

Alutan mins cognition Cationing completely places orion of granting it in minte obambo por J. C. Bux bace 128 pylst. Currit myir rankibes depoli allos original philips, florente. Siluta purpura mbent racemation Dizesti . La Media Julio. An Commit. Asiente. -- Town Could? hunt und. figur is that a detail the magnific flavor bove has been may be by me for the originalle or and. 192 figure. MISSOURI

BOTANICAL copyright reserved cm GARDEN




C. Schirgiana Bois, sign I.M. p. 86 (1849) fl. capitate-glomenter glom. med onto semilibry, fl. semil palyre us que et 1/4 - Cerimeles, ovalas obtusas partito Corolla alla serreolate ralgre vik long vri lobis obligation stammailes feere attitules autheris flowing oblinging, 19 was out obling Justishad vorolla triple brews. Set, a fasi d'ougulibr, arrentis observe in stigmen inomenation - letury -Ech i nope el Oegano, Holsdy 118. & 318. 20. C. minor. var. Fifat contla dhe algor subacquenti pelgaris lobis obteris, antheris flavis ner sossis stylis a basi svergetibes dig. I. 11. p. 86 (1849).


C. palaestisas Boriss. Sunt apellas subale, for capital glom, sessil med ovrib. A. sessil, valgoris varnosal. Colis triangelori abitasis dons contito rementi, Corollne colyce vix long vis boleis brew boy arthe oblige sulteni sulesenilibs subsolu i; sq. susia.
sulso sotunda dentiruleta, stylin a basi dougution vix i apire i stigmati i romanati. __ Oblante Dimidio minores, rulgois lavia costelo-inomisti ctr. C. pitrirola Schleckt Linea XXI 80k. Cince vilistores gun i Giliam, orebre florentes, A. corqueboso mounos 3-8 i rambo laterali – Pedemoneli lin longi, bruck ovito laureolate. aoutierales percentos interdas ægunter. Calyx lineamalter i landing selete elliptions obtusas profunde partitus. Cirolla rempendete relyre adaverso mayor i Carinia, ad Dinista divisa sensim attenuata, obtussiusenlas, dein nellexa, Macina lerrais paullo bressiva, auther ovale, and justalec. Squanne e medio corollee, sinies attragentes obovitue fubritue, styli staminen longte Sin tig-henrightente. Capsele glubler calgo Muperany C. Kotethyan Bors d'ay I. 7. h. 29

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN


MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



= amentar parflore. urlp. Nep. VI. p. 546 C. congesta Buth. Bol Sulph 138 Come filiformi, Glomenile. densis ovatis Fubramosis, squamelles jatermixtis, erlyre ovato, lobis parte integn brevioribus latis oblissis, rosolla valgreen vix superante, vatus squamata Colis Crevisionis lati oblusis quanis minerosi similes vel brevita pedielleta vix lin longi, squamme ortae obliesae rationes vel vix observe desticulate. _ Ampulso"



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



12/ Welp. Report VI 1816-1847 p.543 of seq. C. James. van Portisa O. Koch , L'annea XIX. 19. floor services apitul globora d'himme et approprient, formante, Calyx associations & - raning s'- generalaters, corolle ventriorne bruke plans deinide eresto aequilis Hamilia exserts styli 2 avontion convergente, squam. frubrislatur. - Su reg. Butities pannit. i Hypensis a Crambarci, sant hage (approximent C. Luften C. Kolaligann C. rapillaris Popeworth - Trainsact. Lin Sor. XX.86 Capillarce forments) semiliber, bruter later and a opvern sefullis, f. den lib. only or ad med' bifish (six!) segue obtasis voolle triente, brevionts dono incranatió. so campalità requestió seitis aruliarrulis, zgam, minimis laritistis. filen, spin form institution planis basis Matti, a them, semiform. ad und in Ceritaian corrollae pometica gyli 2. longinsmlis seus. - stigen. subglavata promuti oveni depresso obterso oupela ad spran vondle manisk feite 4- Merra sen vamprem - orbitales - Halites Comiconis In tod. orient byundegens: paristis i hett. alphis, 11,000 pd. all. = C. Lumpun.? C. anguina lægen. P. c. p. 87 Cal filif men. solik
geminisve permode esquante(m) fe. singale fedire
(ramis subsessitis) barteolato; julgois ad baris 5- partiti lærsin's solusis vel arutins rulis lærsia Corollar offlexas attrizents by, 19 ceaun. I finch itis authun, at for our son semil tri gonis conti, semi execti postis i ovani ecutivo el aprice similar, trizonis anti - an 1/2- 26 ly cal /2-1/4 ling - sifert a Créflexa

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN

GEORGE ENGELMANN PAPERS

ab en al a C. marmethe authoris stationis desired by conclude landing angir revolation to them.

more et meseris gravilionels.

Himslage 5-7000' high i herbis vanis.



well Agn W. p. 545 C. pyonartha. Della. M. Harker p. 226. N. 1238. Carle filifornis primité. i glas rompartes seriles confeils, brail ovatis, al profile partit segon. ovat, and, ovat, Tubo exerto, blevi oratii arutii patulii, antheni, of subexentis, your fombust. Ityl apose repite i stigmetoris skoluris vel ranices exsection I Polle affinis C. glomentae Chai;
In Columbia arvis prope Oceania cia Molastomarea

(this is my C. foetist, HBH! yer for Nach. C. curop Signostica Arouss & Thicke for Schlachtak which is C. approx's to - does Think port to blesher C. monogyna S. iberira (Roch = Castle &? Alianne, semilit C. globalosa Bould. bot. Delph sulph 138. Care flip pedremelis brevissians i pedirellis velgre sage longstriky relgir perlagono, lobis litis obtasión parte i'alegni Brevisitions proble arreolate orlyce vix depler long, ine lobis oblonger oblusie service petentiles squais laverige Tylis aprile globoro - Stigmentoris vorolla paulle bressite flores sueprins i sacremo brevissioner wendelland 11 Inbremiles 4-10; pudstilli filizonne, mequales My 2-3 li long. caly x lax ay per auther in 1/4, i frucke 2 li longer overlle 2 li longe Affinis C. intermed ; soly laxion, myor lot non inthist provide longine, longine, to provide longine, C. globulosa South. bol Lugh 138 Caule filiforms. flor. glorierato-nacemonis vel organdoris brevisnine protellater seleglobosis, ralgar lagrerale rampamenter lobis lati ssimis obliges hebristes festichtegne aggiste forble vir orlgam kredute lobis bewissen tet it obtersis squames alle frukrieter, styles apore late pettato stigmentifens Deexenti.

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Output

MISSOURI

BOTANICAL

GARDEN

M'SSAURI BOTANICAL GARDEN GEURGE ENGELMANN PAPERS

the state of the s

pedrelli van lineam longi squamis millig intermisti alg finca prullo longion, labigionmentitus, corolla superne constricte, lokis patalis squame latar altra nedium exciso - findriatre — Arapalor



Costaine par ch' Des Moulins Loulouze 1853 Eth. & Coupte rende de XIX Congris soientifique de pource A. Cuscritere caps. orrows vin. Its ugules 1. vom Il L'accord cal gamosepely, cor ad apirem printes marres res Stigm. Cineania caps corre rooma profecte betordans hilun linear, longitudiale \$ 43. 1. C. europaea (C. major Bank. DC. tr. C. vilganis Per Syn. (. Fibolosa Prest ex Koch C. Fetruidra Mouth? C. Epithy-Thing B. vaona, C. Schkuhmina. 1.C. Chithymu. L. (C. minor. Bach DE. ets. C. europen S. L. p. 48 3. C. Trifolis Bab (C. Chithyan - Mortel in pert. I and plus. p. 52 (. Epithy S. pollens Lagrèse (. union S. pollens Boren (. union). Triplin Chois. (. laithy S. Triplin Baling 4. C. planiflom Tenor (C. minor Chois export p. 54 p. 56 C. palaestine Dois - Xagn. pl. orient. p.86. 1849. is perhaps the same. p. 57 6. C. Godroni S.M. sp.ner. (C. alba godron ner Prest!) 7. C. Episonehum Webb (C. Cpiplocamum Webb Rud 8 (Calgorine Webb 1824 (Courseolata Kange 1846)

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

I Gilihelle juft val subsursepales cor, at apire mother p.39 maneson, strigm. clavato - rhomssata, cops visoungong ingesfat bilotalen, bil vilvasfor longstitut 1. Epilinella ous cutordes Ofeff C. Epilinus Weike p64 C. Smiflom Logen. C. velgami, Atel non Phy C. major Roch & Jif non æuster C. Co'hodes mon Conn. Gesn. I Monogynella Des Moul, novigen out 5. sepalus voroll p.39. at aprires purche marries ans, et gin, capitation Caps. rismission semin 2. kila lika Komman 1. M. Vahliana IM C. monogyne Vahl C. lupulifornis Knoch p.65-MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS B. Cuscutihene capal bacrata styli nepe Margaly IV. Cassutha I. Sanh. De Moul. Congelmannia Offeix p . 40 tal. gamosepulus for, ad has in pretter marris rens styli inaegules stig a capital _ caps dome aprice Johnsons. hile likear transverse Consenta sancolas Siring 1840 p. 66 1. (Juancolens C. Harriara Pfif. 1843 (C. vossiara) C. aumantiara Engelmannt migram Hif. 1845. E. swaveolen Hif 146 Reiferia Danveolen Buchings Custoata conjulos Chois, 1845 non M. & Olavor. [M. C. aunation Reg. (compl: (. nossiara) is p. b.R. probably the Helian C. Adygonor whe pag. 68. Crongelow Ani, vol. if entirely Solint with Buchian, p.87, tout X hardles & fr. hat. p. 69 2. Ciamona anti Li, Chori, 1.20 C. pulagon loge? Dylumin Office. 3. C. chrysocoma Cercut. Webvietsch 1851 Coimbon h.71 probable imported for America

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN


Enoute Free Con Guitty 4. Cambrian
Dove pr /2 V. Sucretta des Moul. od. generales cord besi quesi p.41 pirmerissa. Itti aequales stigmente l'heave orps. Jem myse dehis miles sm. Issouthi magnuati breve. 1. L'alba des moul. C. albalonse me godow Comigion Chair i puto C. morope Sove i hert. n. 1.74 Moknown to Serthoule's C. mirrophals Webvited C Ussze Schult. ? MISSOURI BOTANICAL

copyright reserved

GARDEN

cm

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Anneles de la Soc. L'inneenne Paris I. p. 26. (1822) Ammelyse en Frank de la Sovieté. p. 26. M. Loyer Willemel a Manny s'est " Change de ousantes dont il vous afeil " connaître une espire nouvelle qu'il 4 nomme Currits densiflora. vol TV p. 280 description de 3 esperas de Casentes qui esossient naturellement aux environs de Nang par Joyen hillemot p 280 C. majon. &C. . slamer Long busi mudis ____ Th'gunt later - -281. (: minos &C... stam L. C. basi squame orenatie instruction, stig purparasoutions.

(densiflore ... stig tongetidie orani aprise Enteris. ___ stamis. Gr. besi mudis ___ stignet, divergentis semi-lirealia salia The 1826/ the first description, 1821 The fight indiration of their opening & many Tinco pl. rav. Sivil pyills I Panormi 1817 (- Biblioh Delessent) - no rusrats!! pugill 2 is ashlere


0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Anton Bestoloni flore Steler 1833 vol VII. (1850) 13.623. Court Cesatiana (C. Tolygonon. Le Molari, Ind. sem. Host bot gm. ann. 1849. p. 22 624. C. Tirei Endenga i Tin IV. sur. Siril ferry
p. 4 Ind i theopy of Bibl Delessed, Penoni 817 corolliplam carpulite - squae nulle aprale auntion execte . _ Le hotes - Iguera paut the brevillon. 625. C. subalet: Tin. IV. sir Juss. Syn 2. par 2. p. 888. i zzypho loto, fanter &. proxime C. Githey lobs more ante a s narrow set and tyle, Moster Combanther Tie N. sire. Guss. Lyn " C. globalang 2. par. 2. p.887. Col 11. [1837] Sym: C.major - C. vulgaring p. 67. C. Burguen. Ruching A. Sei lid. Von. p. bg. C. Githyun p. 70 (. alba taple suruelly so named 1.71 C. planiflom sycamorpide, lavin roule outre fectent, som, agent agastatue Tancer solegas.

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN V. 615

G. planifler. Mr. Romelity of Noch Tringe.

635 C. Grilina.

X. p. 478 C. Gritym.

C. alla.

C. planiflera

MISSOURI BOTANICAL GARDEN

GEURGE ENGELMANN PAPERS



Casouta aumitiara Reg. M. sice - Bestotoni for. Their VII. p. 623 (1856) Midernima diagnosis. P.Cesatiana i bidan. p. 624 C. Tinei - nguer mellig vaps . depressa executi tig. supetit p. 625. C. subulet Tia "propina C. Grithyms" O. globularis min : C. mirranth, Tim non Chois. protekt C. Lungish fransiflore

= pelantina Confidence (conjution Ax Dav: hamain = auntition file granien & God II. 505

0		2	3	4	5	6	7	8	9	10	MISSOURI
cm	copyright reserved								ved	BOTANICAL GARDEN	

